

**RECONNAISSANCE GEOLOGICAL REPORT OF PROPOSED SITE OF SHRI NARENDER SINGH S/O SHRI KALAM SINGH FOR THE CONSTRUCTION OF OWNER DRIVEN CONSTRUCTION HOUSING (ODCH) TOK BAL KHELA, VILLAGE DIDSAARI, TEHSIL- BHATWARI- DISTRICT UTTARKASHI, UTTARAKHAND KHASARA NO – 2116a & AREA – 0.020 ha.**

**Date of Inspection: 11/12/13**

**INTRODUCTION:**

In a 'World Bank' funded programme, Government of Uttarakhand has consummate teams of undersigned for geological studies in proposed site for Owner Driven Construction House (ODCH) in disaster affected districts of Uttarakhand.

Director, Geology and Mining Unit, Directorate of Industries, Uttarakhand has issued an office order No. 1612 Aa. Pra./Bhu.Ni./Bhu.Khani.E./2013-14 dated 10<sup>th</sup> December 2013 regarding geological studies in disaster affected five districts of Uttarakhand.

In the above mentioned questioned area, the reconnaissance geological investigation was carried out in the presence and co-operation of Shri Subodh Singh Rana, Revenue Sub-Inspector, Maneri for proposed site of Shri. Narender Singh S/o Shri. Kalam Singh Khasara no- 2116a and area 0.020 ha, falls in Village Bal Khela, Tehsil- Bhatwari, 17Km approx from District Headquarter Uttarkashi, Uttarakhand. It falls on coordinate – N 30<sup>o</sup> 44.340' E 78<sup>o</sup> 32.974' elevation 4897feet. The site is 2.5Km approx from NH-108 (Gangotri-Dharasu National Highway) through bridle path on the left bank of river Bhagirathi and is about 700-800m approx distance from the Bhagirathi river bank, in SW direction. At the proposed site there is no inhabitation and also there is no plot boundary.

**GEOMORPHOLOGICAL OBSERVATION OF THE AREA:**

The uphill slope at the proposed site is 62<sup>o</sup> in NW direction and the downhill slope is 57<sup>o</sup>. The site is situated on overburden of about 150-200m thickness. A 'Bal Khela Khala' Nala is passing nearby from about 60-65m distance flowing in NE direction. At the proposed site location is covered with thick alluvial soil. Around the proposed site location Pine vegetation was found.

**GEOLOGY OF OBSERVATION OF THE AREA:**

**Regional Geological Details**

Uttarkashi valley exhibits characteristic rugged topography of the Lesser Himalayan terrain. The ground elevations generally vary between 1150 to 200meters above msl. The hill slopes in the area are generally observed to comprise of rocky outcrops, rocky cliffs and mantle of colluviums. The hill slopes in the area is generally moderately steep (25°- 35°) to steep (36°- 45°) while few escarpments or cliffs (> 50°) are also present.

Uttarkashi town is located in the Lesser Himalayan geotectonic block and it is bound by two major Thrust fault i.e. Main Central Thrust (MCT) and Srinagar Thrust (ST). The MCT can

be traced to the northeast of Uttarkashi while the Srinagar Thrust lies in the southwest. Phyllite, metabasic and quartzite of Garhwal Group are exposed around the area.

Geologically, the area falls in the region of rocks of Netala Formation of Lesser Himalayan terrain. Quartzite with bands of limestone, phyllite and slate is fine grained, compact, massive in general, but jointed and fractured at places. The slope of the hill ranges between 25°-30° towards eastern direction. At few places insitu rocks are exposed in the plot whereas maximum plot area is covered with overburden. This overburden material comprising soil, hillwash and debris of varying size consisting of brown colored, fine to medium grained silty to gravely matrix with angular fragments of dolomitic limestone and a few brown fine grained shale etc., in which percentage of the angular fragments is more than the matrix. The major joint trends 240°/30° NW (Oblique to foliation plane) whereas minor joint trends 265°/40° NW.

### **Local Geological Observation**

At about 30m above the proposed site there was insitu rock quartzite found, having dip direction S 75° E and dip angle 18-21° in SE direction, the rocks were weathered and jointed.

### **GEOTECHNICAL OBSERVATION OF THE AREA:**

At the site thick alluvial soil cover and quartzite rock fragments of size 3-4cm in the soil matrix are found. At the proposed site the soil is consolidated, the rate of infiltration is high making the soil water saturation high as the area receive high rainfall.




**Side view of the proposed site for construction**


### CONDITIONS AND RECOMMENDATIONS:

1. At proposed site, the slope & the landmass is consolidated but due to high rate of water infiltration the proposed site is not much stable thus, proper foundation with a with a fine depth as per compactness and porosity at the site is recommended to stabilize the site.
2. Inclined retaining wall at the backside of the site with a gap of minimum 2-3feet is recommended with a proper drainage system between the retaining wall and the wall of house.
3. Proper drainage for rainwater and sewage discharge is strongly recommended.
4. Framed structure must be used as the area falls in the earthquake zone IV, so it is essential that the house must be constructed with latest earthquake resistive techniques.

### CONCLUSION:

Prima-facie, the proposed site of Shri.Narender Singh S/o Shri. Kalam Singh is geologically feasible for the construction of house, only if the above mentioned recommendations will be followed strictly, otherwise, in its contravention; geologically suitability will be deemed voided.

  
(Shashank Sharma)  
Consultant Associate  
Geologist

  
(Anupriya Shah)  
Consultant Associate  
Geologist

  
(Vijai Kr. Sen)  
Consultant Geologist

Date:  
Place:Uttarkashi

  
(Dipender Singh Chand)  
Assistant Geologist

Handwritten notes on the left side of the page, possibly describing the layout or purpose of the map.

Handwritten label at the top left, possibly indicating a specific area or boundary.

Handwritten label in the middle left section of the map.

Handwritten label at the bottom left, near the bottom boundary line.

Handwritten label at the top center, above the main map area.



Handwritten notes on the right side, top section, possibly providing details or a legend for the map.

Handwritten notes on the right side, bottom section, including circled numbers and other markings.



Handwritten header text, possibly a date or reference number, written vertically.

प्रभावित खाते - नरे प्रविष्ट १० लाखारी - डिपॉजिट

क्र.सं.	विवरण	दिनांक	प्राप्त	प्रतिफल	शेष
116	10500	21/10	10500	10500	10500
117	10500	21/10	10500	10500	10500
118	10500	21/10	10500	10500	10500

Handwritten signature and text at the bottom of the page, including the name 'S. S. S.' and other illegible characters.